TEST BANK

ESSENTIALS OF PSYCHIATRIC MENTAL HEALTH NURSING 4TH EDITION

A Communication Approach to Evidence-Based Care

BY ELIZABETH VARCAROLIS



Test Bank For Essentials of Psychiatric Mental Health Nursing 4th Edition Varcarolis

Unit I: Essential Theoretical Concepts for Practice Chapter 1. Science and the Therapeutic Use of Self in Psychiatric Mental Health Nursing Chapter 2. Mental Health and Mental Illness Chapter 3. Theories & Therapies Chapter 4. Biological Basis for Understanding Psychopharmacology Chapter 5. Settings for Psychiatric Care Chapter 6. Legal and Ethical Basis for Practice Unit II: Tools for Practice of the Art Chapter 7. The Nursing Process in Psychiatric-Mental Health Nursing Chapter 8. Communication Skills: Medium for All Nursing Practice Chapter 9. Therapeutic Relationships and the Clinical Interview UNIT III: Caring for Patients with Psychobiological Disorders Chapter 10. Trauma and Stress-Related Disorders and Dissociative Disorders Chapter 11. Anxiety, Anxiety Disorders, and Obsessive-Compulsive and Related Disorders Chapter 13. Personality Disorders Chapter 14. Eating Disorders Chapter 15. Mood Disorders: Depression Chapter 16. Bipolar Spectrum Disorders Chapter 17. Schizophrenia Spectrum Disorders Chapter 17. Schizophrenia Spectrum Disorders Chapter 18. Neurocognitive Disorders
Chapter 2. Mental Health and Mental Illness Chapter 3. Theories & Therapies Chapter 4. Biological Basis for Understanding Psychopharmacology Chapter 5. Settings for Psychiatric Care Chapter 6. Legal and Ethical Basis for Practice Unit II: Tools for Practice of the Art Chapter 7. The Nursing Process in Psychiatric-Mental Health Nursing Chapter 8. Communication Skills: Medium for All Nursing Practice Chapter 9. Therapeutic Relationships and the Clinical Interview UNIT III: Caring for Patients with Psychobiological Disorders Chapter 10. Trauma and Stress-Related Disorders and Dissociative Disorders Chapter 11. Anxiety, Anxiety Disorders, and Obsessive-Compulsive and Related Disorders Chapter 13. Personality Disorders Chapter 14. Eating Disorders Chapter 15. Mood Disorders: Depression Chapter 16. Bipolar Spectrum Disorders Chapter 17. Schizophrenia Spectrum Disorders and Other Psychotic Disorders Chapter 17. Schizophrenia Spectrum Disorders and Other Psychotic Disorders Chapter 18. Neurocognitive Disorders
Chapter 3. Theories & Therapies Chapter 4. Biological Basis for Understanding Psychopharmacology Chapter 5. Settings for Psychiatric Care Chapter 6. Legal and Ethical Basis for Practice Unit II: Tools for Practice of the Art Chapter 7. The Nursing Process in Psychiatric-Mental Health Nursing Chapter 8. Communication Skills: Medium for All Nursing Practice Chapter 9. Therapeutic Relationships and the Clinical Interview UNIT III: Caring for Patients with Psychobiological Disorders Chapter 10. Trauma and Stress-Related Disorders and Dissociative Disorders Chapter 11. Anxiety, Anxiety Disorders, and Obsessive-Compulsive and Related Disorders Chapter 13. Personality Disorders Chapter 14. Eating Disorders Chapter 15. Mood Disorders: Depression Chapter 16. Bipolar Spectrum Disorders Chapter 17. Schizophrenia Spectrum Disorders and Other Psychotic Disorders Chapter 18. Neurocognitive Disorders
Chapter 4. Biological Basis for Understanding Psychopharmacology Chapter 5. Settings for Psychiatric Care Chapter 6. Legal and Ethical Basis for Practice Unit II: Tools for Practice of the Art Chapter 7. The Nursing Process in Psychiatric-Mental Health Nursing Chapter 8. Communication Skills: Medium for All Nursing Practice Chapter 9. Therapeutic Relationships and the Clinical Interview UNIT III: Caring for Patients with Psychobiological Disorders Chapter 10. Trauma and Stress-Related Disorders and Dissociative Disorders Chapter 11. Anxiety, Anxiety Disorders, and Obsessive-Compulsive and Related Disorders Chapter 13. Personality Disorders Chapter 14. Eating Disorders Chapter 15. Mood Disorders: Depression Chapter 16. Bipolar Spectrum Disorders Chapter 17. Schizophrenia Spectrum Disorders and Other Psychotic Disorders Chapter 17. Schizophrenia Spectrum Disorders and Other Psychotic Disorders Chapter 18. Neurocognitive Disorders
Chapter 5. Settings for Psychiatric Care Chapter 6. Legal and Ethical Basis for Practice Unit II: Tools for Practice of the Art Chapter 7. The Nursing Process in Psychiatric-Mental Health Nursing Chapter 8. Communication Skills: Medium for All Nursing Practice Chapter 9. Therapeutic Relationships and the Clinical Interview UNIT III: Caring for Patients with Psychobiological Disorders Chapter 10. Trauma and Stress-Related Disorders and Dissociative Disorders Chapter 11. Anxiety, Anxiety Disorders, and Obsessive-Compulsive and Related Disorders Chapter 12. Somatic Symptom Disorders and Related Disorders Chapter 13. Personality Disorders Chapter 14. Eating Disorders Chapter 15. Mood Disorders: Depression Chapter 16. Bipolar Spectrum Disorders Chapter 17. Schizophrenia Spectrum Disorders and Other Psychotic Disorders Chapter 18. Neurocognitive Disorders
Chapter 6. Legal and Ethical Basis for Practice Unit II: Tools for Practice of the Art Chapter 7. The Nursing Process in Psychiatric-Mental Health Nursing Chapter 8. Communication Skills: Medium for All Nursing Practice Chapter 9. Therapeutic Relationships and the Clinical Interview UNIT III: Caring for Patients with Psychobiological Disorders Chapter 10. Trauma and Stress-Related Disorders and Dissociative Disorders Chapter 11. Anxiety, Anxiety Disorders, and Obsessive-Compulsive and Related Disorders Chapter 12. Somatic Symptom Disorders and Related Disorders Chapter 13. Personality Disorders Chapter 14. Eating Disorders Chapter 15. Mood Disorders: Depression Chapter 16. Bipolar Spectrum Disorders Chapter 17. Schizophrenia Spectrum Disorders and Other Psychotic Disorders Chapter 18. Neurocognitive Disorders
Unit II: Tools for Practice of the Art Chapter 7. The Nursing Process in Psychiatric-Mental Health Nursing Chapter 8. Communication Skills: Medium for All Nursing Practice Chapter 9. Therapeutic Relationships and the Clinical Interview UNIT III: Caring for Patients with Psychobiological Disorders Chapter 10. Trauma and Stress-Related Disorders and Dissociative Disorders Chapter 11. Anxiety, Anxiety Disorders, and Obsessive-Compulsive and Related Disorders Chapter 12. Somatic Symptom Disorders and Related Disorders Chapter 13. Personality Disorders Chapter 14. Eating Disorders Chapter 15. Mood Disorders: Depression Chapter 16. Bipolar Spectrum Disorders Chapter 17. Schizophrenia Spectrum Disorders and Other Psychotic Disorders Chapter 18. Neurocognitive Disorders
Chapter 7. The Nursing Process in Psychiatric-Mental Health Nursing Chapter 8. Communication Skills: Medium for All Nursing Practice Chapter 9. Therapeutic Relationships and the Clinical Interview UNIT III: Caring for Patients with Psychobiological Disorders Chapter 10. Trauma and Stress-Related Disorders and Dissociative Disorders Chapter 11. Anxiety, Anxiety Disorders, and Obsessive-Compulsive and Related Disorders Chapter 12. Somatic Symptom Disorders and Related Disorders Chapter 13. Personality Disorders Chapter 14. Eating Disorders Chapter 15. Mood Disorders: Depression Chapter 16. Bipolar Spectrum Disorders Chapter 17. Schizophrenia Spectrum Disorders and Other Psychotic Disorders Chapter 18. Neurocognitive Disorders
Chapter 8. Communication Skills: Medium for All Nursing Practice Chapter 9. Therapeutic Relationships and the Clinical Interview UNIT III: Caring for Patients with Psychobiological Disorders Chapter 10. Trauma and Stress-Related Disorders and Dissociative Disorders Chapter 11. Anxiety, Anxiety Disorders, and Obsessive-Compulsive and Related Disorders Chapter 12. Somatic Symptom Disorders and Related Disorders Chapter 13. Personality Disorders Chapter 14. Eating Disorders Chapter 15. Mood Disorders: Depression Chapter 16. Bipolar Spectrum Disorders Chapter 17. Schizophrenia Spectrum Disorders and Other Psychotic Disorders Chapter 18. Neurocognitive Disorders
Chapter 9. Therapeutic Relationships and the Clinical Interview UNIT III: Caring for Patients with Psychobiological Disorders Chapter 10. Trauma and Stress-Related Disorders and Dissociative Disorders Chapter 11. Anxiety, Anxiety Disorders, and Obsessive-Compulsive and Related Disorders Chapter 12. Somatic Symptom Disorders and Related Disorders Chapter 13. Personality Disorders Chapter 14. Eating Disorders Chapter 15. Mood Disorders: Depression Chapter 16. Bipolar Spectrum Disorders Chapter 17. Schizophrenia Spectrum Disorders and Other Psychotic Disorders Chapter 18. Neurocognitive Disorders
UNIT III: Caring for Patients with Psychobiological Disorders Chapter 10. Trauma and Stress-Related Disorders and Dissociative Disorders Chapter 11. Anxiety, Anxiety Disorders, and Obsessive-Compulsive and Related Disorders Chapter 12. Somatic Symptom Disorders and Related Disorders Chapter 13. Personality Disorders Chapter 14. Eating Disorders Chapter 15. Mood Disorders: Depression Chapter 16. Bipolar Spectrum Disorders Chapter 17. Schizophrenia Spectrum Disorders and Other Psychotic Disorders Chapter 18. Neurocognitive Disorders
Chapter 10. Trauma and Stress-Related Disorders and Dissociative Disorders Chapter 11. Anxiety, Anxiety Disorders, and Obsessive-Compulsive and Related Disorders Chapter 12. Somatic Symptom Disorders and Related Disorders Chapter 13. Personality Disorders Chapter 14. Eating Disorders Chapter 15. Mood Disorders: Depression Chapter 16. Bipolar Spectrum Disorders Chapter 17. Schizophrenia Spectrum Disorders and Other Psychotic Disorders Chapter 18. Neurocognitive Disorders
Chapter 11. Anxiety, Anxiety Disorders, and Obsessive-Compulsive and Related Disorders Chapter 12. Somatic Symptom Disorders and Related Disorders Chapter 13. Personality Disorders Chapter 14. Eating Disorders Chapter 15. Mood Disorders: Depression Chapter 16. Bipolar Spectrum Disorders Chapter 17. Schizophrenia Spectrum Disorders and Other Psychotic Disorders Chapter 18. Neurocognitive Disorders
Chapter 12. Somatic Symptom Disorders and Related Disorders Chapter 13. Personality Disorders Chapter 14. Eating Disorders Chapter 15. Mood Disorders: Depression Chapter 16. Bipolar Spectrum Disorders Chapter 17. Schizophrenia Spectrum Disorders and Other Psychotic Disorders Chapter 18. Neurocognitive Disorders
Chapter 13. Personality Disorders Chapter 14. Eating Disorders Chapter 15. Mood Disorders: Depression Chapter 16. Bipolar Spectrum Disorders Chapter 17. Schizophrenia Spectrum Disorders and Other Psychotic Disorders Chapter 18. Neurocognitive Disorders
Chapter 14. Eating Disorders Chapter 15. Mood Disorders: Depression Chapter 16. Bipolar Spectrum Disorders Chapter 17. Schizophrenia Spectrum Disorders and Other Psychotic Disorders Chapter 18. Neurocognitive Disorders
Chapter 15. Mood Disorders: Depression Chapter 16. Bipolar Spectrum Disorders Chapter 17. Schizophrenia Spectrum Disorders and Other Psychotic Disorders Chapter 18. Neurocognitive Disorders
Chapter 16. Bipolar Spectrum Disorders Chapter 17. Schizophrenia Spectrum Disorders and Other Psychotic Disorders Chapter 18. Neurocognitive Disorders
Chapter 17. Schizophrenia Spectrum Disorders and Other Psychotic Disorders Chapter 18. Neurocognitive Disorders
Chapter 18. Neurocognitive Disorders
Chantan 40, Culastanaa, Dalatan ang Anglatina, Dissur-
Chapter 19. Substance-Related and Addictive Disorders
UNIT IV: Caring for Patients Experiencing Psychiatric Emergencies
Chapter 20. Crisis & Mass Disaster Intervention
Chapter 21. Child, Partner, and Elder Violence
Chapter 22. Sexual Violence
Chapter 23. Suicidal Thoughts and Behaviors
Chapter 24. Anger, Aggression, and Violence
Chapter 25. Care for the Dying and Those Who Grieve
JNIT V: Age-Related Mental Health Disorders
Chapter 26. Children and Adolescents
Chapter 27. Adults
Chapter 28. Older Adults

Chapter 01: Science and the Therapeutic Use of Self in Psychiatric Mental Health Nursing

Varcarolis: Essentials of Psychiatric Mental Health Nursing: A Communication Approach to Evidence-Based Care, 4th Edition

MULTIPLE CHOICE

abirb.com/test

- 1. Which outcome, focused on recovery, would be expected in the plan of care for a patient living in the community and diagnosed with serious and persistent mental illness? Within 3 months, the patient will demonstrate what behavior?
 - a. Denying suicidal ideation
 - b. Reporting a sense of well-being
 - c. Taking medications as prescribed
 - d. Attending clinic appointments on time

ANS: B

Recovery emphasizes managing symptoms, reducing psychosocial disability, and improving role performance. The goal of recovery is to empower the individual with mental illness to achieve a sense of meaning and satisfaction in life and to function at the highest possible level of wellness. The incorrect options focus on the classic medical model rather than recovery.

- DIF: Cognitive Level: Application (Applying)
- TOP: Nursing Process: Outcomes Identification

MSC: NCLEX: Health Promotion and Maintenance

- 2. A patient is hospitalized for depression and suicidal ideation after their spouse asks for a divorce. Select the nurse's **most** caring comment.
 - a. "Let's discuss healthy means of coping when you have suicidal feelings."
 - b. "I understand why you're so depressed. When I got divorced, I was devastated too."
 - c. "You should forget about your marriage and move on with your life."
 - d. "How did you get so depressed that hospitalization was necessary?"

ANS: A

The nurse's communication should evidence caring and a commitment to work with the patient. This commitment lets the patient know the nurse will help. Probing and advice are not helpful for therapeutic interventions.

DIF: Cognitive Level: Application (Applying)

TOP: Nursing Process: Implementation MSC: NCLEX: Psychosocial Integrity

- 3. In the shift-change report, an off-going nurse criticizes a patient who wears extremely heavy makeup. Which comment by the nurse who receives the report best demonstrates advocacy?
 - a. "This is a psychiatric hospital, so we expect our patients to behave bizarrely."
 - b. "Let's all show acceptance of this patient by wearing lots of makeup too."
 - c. "Your comments are inconsiderate and inappropriate. Keep the report objective."
 - d. "Our patients need our help to learn behaviors that will help them get along in society."

ANS: D

birb.com/test

oirb.com/test

WWW.NURSYLAB.COM

Accepting patients' needs for self-expression and seeking to teach skills that will contribute to their well-being demonstrate respect and are important parts of advocacy. The on-coming nurse needs to take action to ensure that others are not prejudiced against the patient. Humor can be appropriate within the privacy of a shift report but not at the expense of respect for patients. Judging the off-going nurse in a critical way will create conflict. Nurses must show compassion for each other.

DIF: Cognitive Level: Application (Applying)

- TOP: Nursing Process: Implementation MSC: NCLEX: Safe, Effective Care Environment
- 4. A nurse assesses a newly admitted patient diagnosed with major depressive disorder. Which statement is an example of "attending"?
 - a. "We all have stress in life. Being in a psychiatric hospital is not the end of the world."
 - b. "Tell me why you felt you had to be hospitalized to receive treatment for your depression."
 - c. "You will feel better after we get some antidepressant medication started for you."
 - d. "I'd like to sit with you for a while, so you may feel more comfortable talking with me."

ANS: D

Attending is a technique that demonstrates the nurse's commitment to the relationship and reduces feelings of isolation. This technique shows respect for the patient and demonstrates caring. Generalizations, probing, and false reassurances are nontherapeutic.

DIF: Cognitive Level: Application (Applying)

TOP: Nursing Process: Implementation MSC: NCLEX: Psychosocial Integrity

- 5. A patient shows the nurse an article from the Internet about a health problem. Which characteristic of the website's address most alerts the nurse that the site may have biased and prejudiced information?
 - a. Address ends in ".org."
 - b. Address ends in ".com."
 - c. Address ends in ".gov."
 - d. Address ends in ".net."

ANS: B

Financial influences on a site are a clue that the information may be biased. ".com" at the end of the address indicates that the site is a commercial one. ".gov" indicates that the site is maintained by a government entity. ".org" indicates that the site is nonproprietary; the site may or may not have reliable information, but it does not profit from its activities. ".net" can have multiple meanings.

DIF: Cognitive Level: Comprehension (Understanding) MSC: NCLEX: Health Promotion and Maintenance abirb.com/test

TOP: Nursing Process: Evaluation

- 6. A nurse says, "When I was in school, I learned to call upset patients by name to get their attention; however, I read a descriptive research study that says that this approach does not work. I plan to stop calling patients by name." Which statement is the best appraisal of this nurse's comment?
 - a. One descriptive research study rarely provides enough evidence to change practice.

birb.com/test

- b. Staff nurses apply new research findings only with the help from clinical nurse specialists.
- c. New research findings should be incorporated into clinical algorithms before using them in practice.
- d. The nurse misinterpreted the results of the study. Classic tenets of practice do not change.

ANS: A

Descriptive research findings provide evidence for practice but must be viewed in relation to other studies before practice changes. One study is not enough. Descriptive studies are low on the hierarchy of evidence. Clinical algorithms use flowcharts to manage problems and do not specify one response to a clinical problem. Classic tenets of practice should change as research findings provide evidence for change.

birb.com/te

TOP: Nursing Process: Evaluation

7. Two nursing students discuss career plans after graduation. One student wants to enter psychiatric nursing. The other student asks, "Why would you want to be a psychiatric nurse? All they do is talk. You will lose your skills." Select the best response by the student

interested in psychiatric nursing.

DIF: Cognitive Level: Analysis (Analyzing)

MSC: NCLEX: Health Promotion and Maintenance

- a. "Psychiatric nurses' practice in safer environments than other specialties and nurse-to-patient ratios are better because of the nature of patients' problems."
- b. "Psychiatric nurses use complex communication skills, as well as critical thinking, to solve multidimensional problems. I'm challenged by those situations."
- c. "I think I will be good in the mental health field. I do not like clinical rotations in school, so I do not want to continue them after I graduate."
- d. "Psychiatric nurses do not have to deal with as much pain and suffering as medical-surgical nurses. That appeals to me."

ANS: B

The practice of psychiatric nursing requires a different set of skills than medical-surgical nursing, although substantial overlap does exist. Psychiatric nurses must be able to help patients with medical and mental health problems, reflecting the holistic perspective these nurses must have. Nurse-patient ratios and workloads in psychiatric settings have increased, similar to other specialties. Psychiatric nursing involves clinical practice, not simply documentation. Psychosocial pain is real and can cause as much suffering as physical pain.

DIF: Cognitive Level: Application (Applying)

- TOP: Nursing Process: Implementation MSC: NCLEX: Safe, Effective Care Environment
- 8. Which research evidence would most influence a group of nurses to change their practice?
 - a. Expert committee report of recommendations for practice com/test
 - b. Systematic review of randomized controlled trials
 - c. Nonexperimental descriptive study
 - d. Critical pathway

abirb.com/te

ANS: B

abirb.com/test

abirb.com/test

Research findings are graded using a hierarchy of evidence. A systematic review of randomized controlled trials is level A and provides the strongest evidence for changing practice. Expert committee recommendations and descriptive studies lend less powerful and influential evidence. A critical pathway is not evidence; it incorporates research findings after they have been analyzed.

DIF:Cognitive Level: Comprehension (Understanding)TOP:Nursing Process: PlanningMSC:NCLEX: Safe, Effective Care Environment

- 9. A bill introduced in Congress would reduce funding for the care of people diagnosed with mental illnesses. A group of nurses write letters to their elected representatives in opposition to the legislation. Which role have the nurses fulfilled?
 - a. Advocacy
 - b. Attending
 - c. Recovery
 - d. Evidence-based practice

ANS: A

An advocate defends or asserts another's cause, particularly when the other person lacks the ability to do that for him or herself. Examples of individual advocacy include helping patients understand their rights or make decisions. On a community scale, advocacy includes political activity, public speaking, and publication in the interest of improving the individuals with mental illness; the letter-writing campaign advocates for that cause on behalf of patients who are unable to articulate their own needs.

DIF: Cognitive Level: Comprehension (Understanding)

TOP: Nursing Process: Implementation MSC: NCLEX: Safe, Effective Care Environment

- 10. An informal group of patients discuss their perceptions of nursing care. Which comment best indicates a patient's perception that his or her nurse is caring?
 - a. "My nurse always asks me which type of juice I want to help me swallow my medication."
 - b. "My nurse explained my treatment plan to me and asked for my ideas about how to make it better."
 - c. "My nurse told me that if I take all the medicines the doctor prescribes, I will get discharged soon."
 - d. "My nurse spends time listening to me talk about my problems. That helps me feel like I'm not alone."

ANS: D

Caring evidences empathic understanding as well as competency. It helps change pain and suffering into a shared experience, creating a human connection that alleviates feelings of isolation. The incorrect options give examples of statements that demonstrate advocacy or giving advice.

DIF: Cognitive Level: Application (Applying) MSC: NCLEX: Psychosocial Integrity TOP: Nursing Process: Evaluation

abirb.com/test

abirb.com/test

WWW.NURSYLAB.COM

- 11. A patient who immigrated to the United States from Honduras was diagnosed with schizophrenia. The patient took an antipsychotic medication for 3 weeks but showed no improvement. Which resource should the treatment team consult for information on more effective medications for this patient?
 - a. Clinical algorithm
 - b. Clinical pathway
 - c. Clinical practice guideline
 - d. International Statistical Classification of Diseases and Related Health Problems (ICD)

ANS: A

A clinical algorithm is a guideline that describes diagnostic and/or treatment approaches drawn from large databases of information. These guidelines help the treatment team make decisions cognizant of an individual patient's needs, such as ethnic origin, age, or gender. A clinical pathway is a map of interventions and treatments related to a specific disorder. Clinical practice guidelines summarize best practices about specific health problems. The ICD classifies diseases.

DIF: Cognitive Level: Application (Applying) MSC: NCLEX: Safe, Effective Care Environment TOP: Nursing Process: Evaluation

- 12. A team of nurses wants to integrate evidence-based practice into a facility's clinical pathways. Which step should the team implement first?
 - a. Acquire findings from published literature.
 - b. Apply the research findings to clinical practice.
 - c. Assess the outcomes of using new research findings.
 - d. Ask questions to identify clinical problems that should be changed.

ANS: D

Integrating evidence-based practice is a multistep process rather than a single change event. The first step is to identify clinical problems that should be changed. Each step must proceed in order when integrated into a clinical environment.

DIF: Cognitive Level: Application (Applying) MSC: NCLEX: Safe, Effective Care Environment TOP: Nursing Process: Planning

- 13. A nurse consistently strives to demonstrate caring behaviors during interactions with patients. Which reaction reported by a patient indicates this nurse is most effective?
 - a. Feeling less distrustful of others
 - b. Sensing a connection with others
 - c. Experiencing only minimal uneasiness about the future
 - d. Being somewhat encouraged with efforts to improve

ANS: B

A patient is likely to respond most to caring with a sense of connectedness with others. The absence of caring can make patients feel some degree of distrustful, disconnection, unease, and discouragement.

DIF: Cognitive Level: Comprehension (Understanding) MSC: NCLEX: Psychosocial Integrity

TOP: Nursing Process: Evaluation

birb.com/test

abirb.com/test