
TEST BANK





EVOLVE FLIMWER COM

ELSEVIER

Wongs Essentials Of Pediatric Nursing 10th Edition Hockenberry Test Bank

Test Bank for Wong's Essentials of Pediatric Nursing, 10th Edition, Marilyn Hockenberry, Cheryl Rodgers, David Wilson, ISBN: 9780323353168

Table of Contents

- 1. Perspectives of Pediatric Nursing
- 2. Family, Social, Cultural, and Religious Influences on Child Health Promotion
- 3. Developmental and Genetic Influences on Child Health Promotion
- 4. Communication and Physical Assessment of the Child and Family
- 5. Pain Assessment in and Management in Children
- 6. Infectious Disease
- 7. Health Promotion of the Newborn and Family
- 8. Health Problems of Newborns
- 9. Health Promotion of the Infant and Family
- 10. Health Problem of Infants
- 11. Health Promotion of the Toddler and Family
- 12. Health Promotion of the Preschooler and Family
- 13. Health Problems of Toddlers and Preschoolers
- 14. Health Promotion of the School Age Child and Family
- 15. Health Promotion of the Adolescent and Family

- 16. Health Problems of School Age Children and Adolescents
- 17. Quality of Life for Children Living with Chronic or Complex Diseases
- 18. Impact of Cognitive or Sensory Impairment on the Child and Family
- 19. Family-Centered Care of the Child During Illness and Hospitalization
- 20. Pediatric Variations of Nursing Interventions
- 21. The Child with Respiratory Dysfunction
- 22. The Child with Gastrointestinal Dysfunction
- 23. The Child with Cardiovascular Dysfunction
- 24. The Child with Hematologic or Immunologic Dysfunction
- 25. NEW! The Child with Cancer
- 26. The Child with Genitourinary Dysfunction
- 27. The Child with Cerebral Dysfunction
- 28. The Child with Endocrine Dysfunction
- 29. The Child with Musculoskeletal or Articular Dysfunction
- 30. The Child with Neuromuscular or Muscular Dysfunction

Chapter 01: Perspectives of Pediatric Nursing Hockenberry: Wong's Essentials of Pediatric Nursing, 10th Edition

MULTIPLE CHOICE

1. A nurse is planning a teaching session for parents of preschool children. Which statement explains why the nurse should include information about morbidity and mortality?

1 0	5 5
a.	Life span statistics are included in the data.
b.	It explains effectiveness of treatment.
с.	Cost-effective treatment is detailed for the
	general population.
d.	High-risk age groups for certain disorders or
	hazards are identified.

ANS: D

Analysis of morbidity and mortality data provides the parents with information about which groups of individuals are at risk for which health problems. Life span statistics is a part of the mortality data. Treatment modalities and cost are not included in morbidity and mortality data.

- DIF: Cognitive Level: Apply REF: p. 11
- TOP: Integrated Process: Nursing Process: Planning

MSC: Area of Client Needs: Health Promotion and Maintenance

2. A clinic nurse is planning a teaching session about childhood obesity prevention for parents of school-age children. The nurse should include which associated risk of obesity in the teaching plan?

a.	Type I diabetes
b.	Respiratory disease
с.	Celiac disease
d.	Type II diabetes

ANS: D

Childhood obesity has been associated with the rise of type II diabetes in children. Type I diabetes is not associated with obesity and has a genetic component. Respiratory disease is not associated with obesity, and celiac disease is the inability to metabolize gluten in foods and is not associated with obesity.

DIF:	Cognitive Level: Apply	REF:	p. 2
TOP:	Integrated Process: Nursing Process:	Planni	ng

MSC: Area of Client Needs: Health Promotion and Maintenance

3. Which is the leading cause of death in infants younger than 1 year?

a.	Congenital anomalies
b.	Sudden infant death syndrome
с.	Respiratory distress syndrome
d.	Bacterial sepsis of the newborn

ANS: A

Congenital anomalies account for 20.1% of deaths in infants younger than 1 year. Sudden infant death syndrome accounts for 8.2% of deaths in this age group. Respiratory distress syndrome accounts for 3.4% of deaths in this age group. Infections specific to the perinatal period account for 2.7% of deaths in this age group.

DIF: Cognitive Level: Remember REF: p. 6

TOP: Integrated Process: Nursing Process: Assessment

MSC: Area of Client Needs: Health Promotion and Maintenance

4. Which leading cause of death topic should the nurse emphasize to a group of African-American boys ranging in age from 15 to 19 years?

a.	Suicide
b.	Cancer
С.	Firearm homicide
d.	Occupational injuries

ANS: C

Firearm homicide is the second overall cause of death in this age group and the leading cause of death in African-American males. Suicide is the third-leading cause of death in this population. Cancer, although a major health problem, is the fourth-leading cause of death in this age group. Occupational injuries do not contribute to a significant death rate for this age group.

DIF: Cognitive Level: Understand REF: p. 7

TOP: Integrated Process: Nursing Process: Planning

MSC: Area of Client Needs: Health Promotion and Maintenance

5. Which is the major cause of death for children older than 1 year?

a.	Cancer
b.	Heart disease
с.	Unintentional injuries
d.	Congenital anomalies

ANS: C

Unintentional injuries (accidents) are the leading cause of death after age 1 year through adolescence. Congenital anomalies are the leading cause of death in those younger than 1 year. Cancer ranks either second or fourth, depending on the age group, and heart disease ranks fifth in the majority of the age groups.

DIF: Cognitive Level: Remember REF: p. 7

TOP: Integrated Process: Nursing Process: Planning

MSC: Area of Client Needs: Health Promotion and Maintenance

6. Which is the leading cause of death from unintentional injuries for females ranging in age from 1 to 14?

a.	Mechanical suffocation
b.	Drowning
С.	Motor vehicle–related fatalities
d.	Fire- and burn-related fatalities

ANS: C

Motor vehicle–related fatalities are the leading cause of death for females ranging in age from 1 to 14, either as passengers or as pedestrians. Mechanical suffocation is fourth or fifth, depending on the age. Drowning is the second- or third-leading cause of death, depending on the age. Fire- and burn-related fatalities are the second-leading cause of death.

DIF: Cognitive Level: Remember REF: p. 3

TOP: Integrated Process: Nursing Process: Assessment

MSC: Area of Client Needs: Health Promotion and Maintenance

7. Which factor most impacts the type of injury a child is susceptible to, according to the child's age?

a.	Physical health of the child
b.	Developmental level of the child
с.	Educational level of the child
d.	Number of responsible adults in the home

ANS: B

The child's developmental stage determines the type of injury that is likely to occur. The child's physical health may facilitate the child's recovery from an injury but does not impact the type of injury. Educational level is related to developmental level, but it is not as important as the child's developmental level in determining the type of injury. The number of responsible adults in the home may affect the number of unintentional injuries, but the type of injury is related to the child's developmental stage.

DIF: Cognitive Level: Understand REF: p. 3

TOP: Integrated Process: Nursing Process: Planning

MSC: Area of Client Needs: Health Promotion and Maintenance

8. Which is now referred to as the "new morbidity"?

a.	Limitations in the major activities of daily
	living
b.	Unintentional injuries that cause chronic
	health problems
с.	Discoveries of new therapies to treat health
	problems
d.	Behavioral, social, and educational problems
	that alter health

ANS: D

The new morbidity reflects the behavioral, social, and educational problems that interfere with the child's social and academic development. It is currently estimated that the incidence of these issues is from 5% to 30%. Limitations in major activities of daily living and unintentional injuries that result in chronic health problems are included in morbidity data. Discovery of new therapies would be reflected in changes in morbidity data over time.

DIF: Cognitive Level: Remember REF: p. 2

TOP: Integrated Process: Nursing Process: Assessment

MSC: Area of Client Needs: Health Promotion and Maintenance

care the number of deni (ching)	
a.	Taking over total care of the child to reduce
	stress on the family
b.	Encouraging family dependence on health
	care systems
с.	Recognizing that the family is the constant in
	a child's life
d.	Excluding families from the decision-making
	process

9. A nurse on a pediatric unit is practicing family-centered care. Which is most descriptive of the care the nurse is delivering?

ANS: C

The three key components of family-centered care are respect, collaboration, and support. Family-centered care recognizes the family as the constant in the child's life. Taking over total care does not include the family in the process and may increase stress instead of reducing stress. The family should be enabled and empowered to work with the health care system. The family is expected to be part of the decision-making process.

- TOP: Integrated Process: Nursing Process: Implementation
- MSC: Area of Client Needs: Health Promotion and Maintenance
- 10. The nurse is preparing an in-service education to staff about atraumatic care for pediatric patients. Which intervention should the nurse include?

a.	Prepare the child for separation from parents
	during hospitalization by reviewing a video.
b.	Prepare the child before any unfamiliar treat
	ment or procedure by demonstrating on a
	stuffed animal.
с.	Help the child accept the loss of control asso
	ciated with hospitalization.
d.	Help the child accept pain that is connected
	with a treatment or procedure.

ANS: B

Preparing the child for any unfamiliar treatments, controlling pain, allowing privacy, providing play activities for expression of fear and aggression, providing choices, and respecting cultural differences are components of atraumatic care. In the provision of atraumatic care, the separation of child from parents during hospitalization is minimized. The nurse should promote a sense of control for the child. Preventing and minimizing bodily injury and pain are major components of atraumatic care.

- DIF: Cognitive Level: Understand REF: p. 8
- TOP: Integrated Process: Nursing Process: Implementation
- MSC: Area of Client Needs: Psychosocial Integrity
- 11. Which is most suggestive that a nurse has a nontherapeutic relationship with a patient and family?

DIF: Cognitive Level: Remember REF: p. 7